



YP30G

As with all Yamaha products, huge engineering experience stands behind our famous name. So when it comes to power, fuel efficiency and sheer dependability, this water pump is simply the right choice.

Almost 1000 litres per minute? YP30G is ready!

The YP30G delivers 980 litres-per-minute performance but does it with utter reliability and impressive levels of economy, thanks to the smoothly efficient OHV 4-stroke Yamaha engine. This efficient, easy-start unit, with its electronic ignition and large muffler, ensures an unusual level of quietness too.

In fact, special features that ensure long life and user-friendly operation are built into every part of this tough workhorse, so it really lives up to its name - Yamaha.

YP30G - BITNE KARAKTERISTIKE

5hp Yamaha 4-Stroke OHV engine - economical and quiet

With the YP30G, you can simply pull the cord, relax and enjoy the smooth, reassuring - and quiet - power of the latest Yamaha MZ175 4-stroke OHV engine. This durable and efficient 171cc air-cooled unit provides plenty of torque and pumping power, but also delivers excellent economy, while running on regular fuel (OCT95).

Built tough - built reliable - built to last

From the tough, tubular wrap-around frame that protects the whole unit, to the cast iron pump case and impeller, the YP30 G is engineered for great strength and extended durability. The carbon-ceramic mechanical seals reduce abrasion and friction - and are simple to replace. The pump case drain is easy to access too.



80mm/3" ports for simple connections

For fast, easy connection of suction and discharge hoses, we use standard NPT (National Pipe Thread) fitting sizes. Of course, a full range of suction and discharge hoses specially chosen for Yamaha pumps are available from the Parts and Accessories division of Yamaha Motor Europe. Find out more at www.yamaha-motor-acc.com

Starting is a breeze with a Yamaha engine

Not only do we offer you an auto-decompression system to make light work of the starter pull, but the electronic (TCI) ignition system provides a hot spark for consistently easy and effortless starting in all conditions. TCI also delivers outstanding economy and smooth running reliability.

Easy operation is a Yamaha speciality

The YP30G is designed for day-to-day usability, with features like our Oil Watch Warning System, which automatically shuts off the engine when the oil level is low - it won't re-start until oil is added, avoiding damage and extending its life. The easy-access oil plug, cleanable spark arrestor and washable foam air filter help too.

The YP30G - outstanding pumping performance

980 litres per minute is impressive from such a compact and lightweight unit, but the YP30G's lively performance doesn't stop there. It will lift water high too, with a total head of 31m and suction head of 7m - not to mention a priming time of only 120 sec at 5m. That's pumping Yamaha-style!

You'll appreciate the convenient re-fuelling arrangements

While the economical 4-stroke Yamaha engine goes on running far longer than you might expect, to help even more we fit an unusually large 4.5 litre fuel tank, which of course means less frequent re-fills. For easy transport and storage, the YP30G also features a convenient On/Off petcock.

Water pump specifications

Lubrication system	Splash
Displacement	171cc
Maximum power	4.1 kW @ 4000 rpm
Dimensions	397 mm x 518 mm x 466 mm
Inlet Suction Diameter	76.2 mm
Discharge port	76.2 mm
Maximum Capacity	58.8m ³ /h
Rated output	3.35 kW @ 3600 rpm